



VP INDUSTIRES

An ISO & MSME Certified | GEM Registered Supplier

SANITARY NAPKIN INCINERATOR MACHINE



Get in touch









Wisdom For Your Life

01

Sanitary Napkin Incinerator Burning Capacity-100 Pad/day





Type of Machine: - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity: - 80 to 100 Pads per day. 6-8 pads per cycle within 15 to 20 minutes. ** Insert up to 3 pads at a time.

Dimensions :- Length-205 mm x Breadth-205 mm x Height-435 mm, Weight-11 Kg.

Electrical & Safety :- 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.


Insulation: Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Accessories: - Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

02

Sanitary Napkin Incinerator Burning Capacity-200 Pad/day





Type of Machine: - Fully Automatic, Timer controlled with

Burning Capacity :- 180 to 200 Pads per day. 10-12 pads per cycle within 15 to 20 minutes. ** Insert up to 6 pads at a time.

Dimensions :- Length-255 mm x Breadth-255 mm x Height-450 mm, Weight-13 kg

Electrical & Safety: -230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

Insulation: Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Accessories :- Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.



Sanitary Napkin Incinerator Burning Capacity-300 Pad/day





Type of Machine: - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity: - 280 to 300 Pads per day. 16-20 pads per cycle within 20 to 25 minutes. ** Insert up to 8 pads at a time.

Dimensions :- Length-275 mm x Breadth-275 mm x Height-505 mm, Weight-15 kg

Electrical & Safety: 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1000 Watt.

Insulation: Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Accessories: - Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

04

Sanitary Napkin Incinerator Burning Capacity-400 Pad/day





Type of Machine : - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity: - 380 to 400 Pads per day. 20-25 pads per cycle within 20 to 25 minutes. ** Insert up to 10 pads at a time.


Dimensions :- Length-305 mm x Breadth-305 mm x Height-525 mm, Weight-18 kg

Electrical & Safety: 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1200 Watt.

Insulation: Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Accessories: - Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

Napkin Incinerator with Smoke Control Unit Burning Capacity-200 Pad/day



Type of Machine: - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity:- 180 to 200 Pads per day. 10-12 pads per cycle within 15 to 20 minutes. ** Insert up to 6 pads at a time.

Dimensions :- Length-255 mm x Breadth-255 mm x Height-450 mm, Weight-13 kg

Electrical & Safety: - 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 800 Watt.

Insulation: - Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Separate Smoke Control: - One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

L X B X H-250x250x200 mm, Weight-3 kg

Accessories: - Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

06

Napkin Incinerator with Smoke Control Unit Burning Capacity-300 Pad/day



Weight 20kg

Type of Machine: - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity: - 280 to 300 Pads per day. 16-20 pads per cycle within 20 to 25 minutes. ** Insert up to 8 pads at a time.

Dimensions :- Length-275 mm x Breadth-275 mm x Height-505 mm, Weight-16 kg

Electrical & Safety: - 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1000 Watt.

Insulation: - Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Separate Smoke Control : - Two Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

LXBXH-275 X 275 X 200 mm, Weight-4 kg

Accessories: - Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

Napkin Incinerator with Smoke Control Unit Burning Capacity-400 Pad/day





Type of Machine: - Fully Automatic, Timer controlled with Auto cut-off feature, Wall Mountable & Mild Steel body with anti-rust powder coating.

Burning Capacity: - 380 to 400 Pads per day. 20-25 pads per cycle within 20 to 25 minutes. ** Insert up to 10 pads at a time.

Dimensions :- Length-305 mm x Breadth-305 mm x Height-550 mm, Weight-18 kg

Electrical & Safety: - 230v Power supply with MCB (16amp), Indicator, Push Button, Ceramic Heater of 1400 Watt.

Insulation: - Double Insulation for extra protection of Ceramic fibre Sheet (25 mm) & Glass fibre Blanket.

Separate Smoke Control: - Two Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control (With Exhaust Fan).

LxBxH-305 x 305 x 200 mm, Weight-4 kg

Accessories :- Provided Flexible Smoke Pipe (1.5 mtr), Hose Clamp, C Clamp, Aluminium tape, PVC Wall Plug with Screws etc.

Thanks for connecting us...

Office & Manufacturing Unit: VP INDUSTRIES.

AO-91, Amrit Steel Compound, South Side Industrial Area, Ghaziabad-201001

AN ISO & CE Certified

MSME CERTIFIED

GEM Registered Supplier







